

Whole-House High Efficiency Air Cleaner

The SolaceAir Whole-House High Efficiency Air Cleaner installs directly into the 1" filter track(s) in the existing heating and cooling system. Its electronically enhanced media combines elements of both electronic and media air cleaners. Particles are electrically charged (polarized) and then collected in the high efficiency media. Polarized sub-micron particles join with other particles and are collected on subsequent passes.



Actual unit may vary depending on size

CE

FAST INSTALLATION

- No costly ductwork modifications required.
- Wires directly to 24-volt R and C terminals on most IFC boards or plugs directly into 110V wall outlet.

EFFICIENT

- 97% efficient at .3 microns.
- Efficiency increases as the media fibers load.

REMOVES ODORS

• Patented activated-carbon center screen with C3[™] technology is effective in removing cigarette smoke, pollen, dust, odors, and other contaminants.

ECONOMICAL OPERATION

- Low static pressure drop lets blower run efficiently.
- Low power consumption.

EASY MAINTENANCE

- No washing of components required.
- The disposable fiber media pads require only a few minutes to change.
- Media pads are generally changed every 3 to 4 months, depending on household conditions such as the presence of pets and/or smokers.

SAFE, QUIET, DEPENDABLE OPERATION

- Runs on 24Volts that feeds a high voltage power supply producing 7,000 volts of DC output current. Its extremely high internal impedance makes it very safe and virtually short-circuit proof.
- Does not produce ozone or arcing like other electronic air cleaners.
- Does not produce charged (ionized) particles that collect on clothes, walls and furnishings.

WARRANTY

• Limited Lifetime Warranty when using only GENUINE replacement media and when serviced as part of a regularly scheduled service maintenance program.


| Performance Data | | |
|---------------------------|-----------|--|
| Electrical Input: | 24 VAC | |
| Powerhead Output Voltage: | 7 kV (DC) | |
| Power Consumption: | 1.4 Watts | |
| Powerhead Volt/Amps Draw: | 1.45 VA | |
| Maximum Face Velocity: | 500 fpm | |
| Ozone Generation: | None | |

Efficiency Comparison

| | | SolaceAir Air Cleaner | Other 4-6" Pleated Filters |
|---------------|------------------------------------------------------|--------------------------|----------------------------------|
| Particle Size | Contaminant(s) | Capture Efficiency | |
| 3-10 microns | pollen, mold, dust mites, hairspray | 99% | 98% |
| 1-3 microns | auto emissions, lead dust, large bacteria | 98% | Not Effective |
| .3-1 micron | smoke (tobacco, cooking), small bacteria, fine dust, | 97% | Not Effective |
| | paint pigments | | |
| <.3 micron | VOCs (odors, off gases including formaldehyde | 40% | Not Effective |
| | from carpets, furniture and cleaning products | | |


Pressure Drop Data


SolaceAir Whole-House High Efficiency Air Cleaners feature a media pad with a patented center screen material featuring C3 TechnologyTM. The center screen utilizes a Conductive plastic Carbon Composite mesh material that translates to a low pressure drop without compromising air cleaner efficiency or performance.



Dimension Data (standard sizes)


SolaceAir Whole-House High Efficiency Air Cleaners are available in the following standard sizes: 12X12, 12X20, 12X24, 14X14, 14X20, 14X24, 14X25, 14X30, 15X20, 16X20, 16X24, 16X25, 16X30, 18X18, 18X20, 18X24, 18X30, 20X20, 20X22, 20X24, 20X25, 20X30, 24X24, 24X30, 25X25, 16-1/2X21-5/8, 20X21-5/8, 21-1/2X23-1/4. Custom sizes are also available.





Retrofit Models

SolaceAir Whole-House High Efficiency Air Cleaners are also available in several models as a retrofit to slide into existing media or electronic air cleaner cabinets.



Operation

Each unit is shipped with a power supply cord that plugs into the air cleaner and wires directly to the "R" and "C" terminals located on most gas furnace integrated control boards. Refer to the SolaceAir Whole-House High Efficiency Air Cleaner Installation Instructions & Consumer Information for details.


An optional 110V step-down transformer allows the appliance to be plugged directly into any standard wall outlet.

Maintenance & Filter Media Pad Replacement

The only scheduled maintenance for the SolaceAir Whole-House High Efficiency Air Cleaner is periodic replacement of the Replacement Media Pads. This is typically done every 3 to 4 months.

WARNING: FAILURE TO CHANGE THE MEDIA PAD ON A REGULAR BASIS COULD REDUCE AIRFLOW AND CAUSE DAMAGE TO THE HEATING AND COOLING SYSTEM.

- Item Description
- 1 Replacement Media Pad
- 2 Powerhead (inside top channel)
- 3 Power Cord
- 4 Electrode Insulator Button
- 5 Latch
- 6 Power ON Light
- 7 Power Input Jack
- 8 Electrode
- 9 Hinge
- 10 Screen
- 11 Frame
- 12 Spline
- 12 Spline 13 Brush Seal
- 14 Optional D-Ring Handle
- 15 Warning Label
- 16 Brand Label
- 17 Patents Label
- 18 Media Size Label





102-91 Rylander Boulevard, Unit 102-104, Toronto, Ont. M1B5M5 tel. 416.264.7687

FORM NO. SLA-440 (3/21)